

STELLAR RS

Stückliste

Datum: 25.01.2024

Version: 1.1



**SWING Flugsportgeräte
GmbH**

An der Leiten 4
82290 Landsberied

Bezeichnung	Bestell Nr.	Werkstoff	Abmessung	Oberfläche	Hersteller
Fangleinenschlösser	MRDI03.0 12.30	Inox	ø 3,0 mm	Edelstahl	Techtex
Rahmenring	DRI03.0 8.13	Inox	ø 3,0 mm	Edelstahl	Techtex
Fangleinen (Stamm)	8001-230 / 8001-190 / 8001-130 / 7340-140	Aramid	ø 1,6 mm / 1,2 mm / 1,0 mm / 1,2 mm	unummantelt / ummantelt	Edelrid
Fangleinen (1.Gabel)	DC 100 / DC 60 / 8001-90	Aramid	ø 1,0 mm / 0,6 mm / 0,9 mm	unummantelt	Liros / Edelrid
Fangleinen (2.Gabel)	8001-130 / DC 60	Aramid / Dyneema	ø 1,0 mm / 0,6 mm	unummantelt	Edelrid / Liros
Tuch Obersegel	WT 3020 / STA 15 / STA 10	Nylon	38 g/m ² - 31g/m ² - 28g/m ²	beschichtet	Techtex / Techfiber Services, Inc Japan
Tuch Untersegel	STA 10	Nylon	28 g/m ²	beschichtet	Techfiber Services, Inc Japan
Tuch Profile	9017 E29 / 70000 E91	Nylon	38 g/m ² - 27 g/m ²	beschichtet	Porcher Sport
Gurtband	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profilverstärkung	Support rod	Nitinol / Nylon	ø 1,0 / 0,8 / 0,6 mm tubecover		Techtex
Bremsleinen	DFLS 200 / 8001-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm / 0,5mm	ummantelt / unummantelt	Liros / Edelrid



Date: 25.01.2024

Parts list

Version: 1.1

**SWING Flugsportgeräte
GmbH**

An der Leiten 4
82290 Landsberied

Description	Article Code	Material	Dimensions	Surface	Manufacturer
quick links	MRDI03.0 12.30	Inox	ø 3,0 mm	Stainless steel	Techtex
D-ring	DRI03.0 8.13	Inox	ø 3,0 mm	Stainless steel	Techtex
Rigging line (Main)	8001-230 / 8001-190 / 8001-130 / 7340-140	Aramid	ø 1,6 mm / 1,2 mm / 1,0 mm / 1,2 mm	uncovered / covered	Edelrid
Rigging line (intermediate)	DC 100 / DC 60 / 8001-90	Aramid	ø 1,0 mm / 0,6 mm / 0,9 mm	uncovered	Liros / Edelrid
Rigging line (top)	8001-130 / DC 60	Aramid / Dyneema	ø 1,0 mm / 0,6 mm	uncovered	Edelrid / Liros
Fabric topsail	WT 3020 / STA 15 / STA 10	Nylon	38 g/m ² - 31g/m ² - 28g/m ²	coated	Techtex / Techfiber Services, Inc Japan
Fabric bottomsail	STA 10	Nylon	28 g/m ²	coated	Techfiber Services, Inc Japan
Fabric ribs	9017 E29 / 70000 E91	Nylon	38 g/m ² - 27 g/m ²	coated	Porcher Sport
Riser webbing	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profil support	Support rod	Nitinol / Nylon	ø 1,0 / 0,8 / 0,6 mm tubecover		Techtex
Brake line	DFLS 200 / 8001-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm / 0,5mm	covered / uncovered	Liros / Edelrid

STELLAR RS

Stückliste

Datum: 25.01.2024

Version: 2.0



**SWING Flugsportgeräte
GmbH**

An der Leiten 4
82290 Landsberied

Bezeichnung	Bestell Nr.	Werkstoff	Abmessung	Oberfläche	Hersteller
Fangleinenschlösser	MRDI03.0 12.30	Inox	ø 3,0 mm	Edelstahl	Techtex
Rahmenring	DRI03.0 8.13	Inox	ø 3,0 mm	Edelstahl	Techtex
Fangleinen (Stamm)	8001-230 / 8001-190 / 8001-130 / TSL 190	Aramid	ø 1,6 mm / 1,2 mm / 1,0 mm / 1,5 mm	unummantelt / ummantelt	Edelrid / Liros
Fangleinen (1.Gabel)	DC 100 / DC 60 / 8001-90	Aramid	ø 1,0 mm / 0,6 mm / 0,9 mm	unummantelt	Liros / Edelrid
Fangleinen (2.Gabel)	8001-130 / DC 60	Aramid / Dyneema	ø 1,0 mm / 0,6 mm	unummantelt	Edelrid / Liros
Tuch Obersegel	WT 3020 / STA 15 / STA 10	Nylon	38 g/m ² - 31g/m ² - 28g/m ²	beschichtet	Techtex / Techfiber Services, Inc Japan
Tuch Untersegel	STA 10	Nylon	28 g/m ²	beschichtet	Techfiber Services, Inc Japan
Tuch Profile	9017 E29 / 70000 E91	Nylon	38 g/m ² - 27 g/m ²	beschichtet	Porcher Sport
Gurtband	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profilverstärkung	Support rod	Nitinol / Nylon	ø 1,0 / 0,8 / 0,6 mm tubecover		Techtex
Bremsleinen	DFLS 200 / 8001-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm / 0,5mm	ummantelt / unummantelt	Liros / Edelrid



Date: 25.01.2024

Parts list

Version: 2.0

**SWING Flugsportgeräte
GmbH**
An der Leiten 4
82290 Landsberied

Description	Article Code	Material	Dimensions	Surface	Manufacturer
quick links	MRDI03.0 12.30	Inox	ø 3,0 mm	Stainless steel	Techtex
D-ring	DRI03.0 8.13	Inox	ø 3,0 mm	Stainless steel	Techtex
Rigging line (Main)	8001-230 / 8001-190 / 8001-130 / TSL 190	Aramid	ø 1,6 mm / 1,2 mm / 1,0 mm / 1,5 mm	uncovered / covered	Edelrid / Liros
Rigging line (intermediate)	DC 100 / DC 60 / 8001-90	Aramid	ø 1,0 mm / 0,6 mm / 0,9 mm	uncovered	Liros / Edelrid
Rigging line (top)	8001-130 / DC 60	Aramid / Dyneema	ø 1,0 mm / 0,6 mm	uncovered	Edelrid / Liros
Fabric topsail	WT 3020 / STA 15 / STA 10	Nylon	38 g/m ² - 31g/m ² - 28g/m ²	coated	Techtex / Techfiber Services, Inc Japan
Fabric bottomsail	STA 10	Nylon	28 g/m ²	coated	Techfiber Services, Inc Japan
Fabric ribs	9017 E29 / 70000 E91	Nylon	38 g/m ² - 27 g/m ²	coated	Porcher Sport
Riser webbing	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profil support	Support rod	Nitinol / Nylon	ø 1,0 / 0,8 / 0,6 mm tubecover		Techtex
Brake line	DFLS 200 / 8001-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm / 0,5mm	covered / uncovered	Liros / Edelrid