

Stückliste Galaxy

DESCRIPTION



edel GmbH

 Hitzleriederstr. 15
 87637 Seeg
 Tel. (08364) 1340
 Fax (08364) 1294

 ● FABRIC OF CANOPY / *Kappenmaterial*

FABRIC CODE	S 0 9 3	
SUPPLIER	NAME	PORCHER TEXTILE INC
	ADDRESS	75 RUE DE RUISSEAU ZI DE THARABIE BP 710 38297 ST QUENTIN FALLAVIER CEDEX FRANCE
MATERIAL		NYLON - 66
WEIGHT (GR / M ²)		44
BREAKING STRENGTH (KG / 5 Cm)	WARP	47 ± 5
	WEEFT	39 ± 5
TEAR STRENGTH (KG / 5 Cm)	WARP	22 ± 5
	WEFT	22 ± 5
WEAVE DESIGN		RIPSTOP
AIR POROSITY		l / m / mm < 40

 ● SUSPENSION LINE / *Leinenmaterial*

MATERIAL	T5/I - 347	T5/I - A - 4/I	SUPERARAM
SUPPLIER	NAME	EULIT -WERK, STAUDE & CO. KG.	COUSIN
	ADDRESS	KAPellenSTR. 17, D-86971 PEITING GERMANY	8, rue Abbé Bonpain F-59117 WERVICO-SUD FRANCE
DIAMETER (mm)	1.1	1.7	2.1
YARN COUNT	PES 113 DTEX	PES 550 DTEX	
NUMBER OF CORE	ARAMID 420 DTEX	ARAMID 1080 DTEX	
BREAKING STRENGTH	53.1 kg	135 kg	180kg

REINFORCEMENT

Verstärkungsmaterial

FABRIC CODE		W420 SCRIM	
SUPPLIER	NAME	PORCHER TEXTILE INC	
	ADDRESS	75 RUE DU RUISSEAU ZI DE THARABIE BP 710 38297 ST QUENTIN FALLAVIER CEDEX FRANCE	
MATERIAL		POLYESTER SCRIM	
WEIGHT (GR / M ²)		180	
BREAKING STRENGTH (KG / 5 Cm)	WARP	137	
	WEFT	118	
TEAR STRENGTH (KG / 5 Cm)	WARP	4.2	
	WEFT	4.1	
WEAVE DESIGN		RIPSTOP	

RISER

Tragegute

MATERIAL		HIGH TENACITY POLYESTER YARN	
SUPPLIER	NAME	KOLON INDUSTRIAL CO.	
	ADDRESS	45 MU KYO DONG JUNG GU, SEOUL, KOREA	
WEIGHT (GR / M ²)		35	
BREAKING STRENGTH		850 KG	225 kg
WIDTH (mm)		25	15

MAILLONS

Schäkel

MATERIAL		STAINLESS STEEL	
SUPPLIER	NAME	METAL CHAINEX CO.	
	ADDRESS	30 RUE DE GRAMONT 75002, PARIS, FRANCE	
WEIGHT (GR)		13.5	
BREAKING STRENGTH		1000 KG	
DIAMETER (mm)		4	

① BRIDLE(ATTACHMENT LINES) *Leinen / Kappenverbind.*

MATERIAL		NYLON
SUPPLIER	NAME	JINHENG CORP.
	ADDRESS	891 SHINHENG-DONG, SUJUNG GU, SUNGNAH-CITY, KYONGKI DO, KOREA
WEIGHT (GR / M)		7.2 G/M
BREAKING STRENGTH		110 KG
WIDTH (mm)		15

② THREAD *Faden*

MATERIAL		HIGH TENACITY POLYESTER YARN	
SUPPLIER	NAME	JINHEONG CORP.	
	ADDRESS	891 SHINHENG-DONG, SUJUNG-GU, SUNGNAH-CITY, KYONGKI-DO, KOREA	
DENIER		150D/3	250D/3
BREAKING STRENGTH		1.9KG	3.2KG
WEIGHT (GR / M)		0.05G	0.083G

TOLERANCES ALLOWANCE OF BUILDING

① LINES : $\pm 0.5\text{Cm}$

② WINGSPAN : $\pm 0.5\%$

③ CHORD : $\pm 0.5\%$