

ARCUS 2 RS

Stückliste

Datum: 07.12.2020

Version: 1.1



**SWING Flugsportgeräte
GmbH**
An der Leiten 4
82290 Landsberied

Bezeichnung	Bestell Nr.	Werkstoff	Abmessung	Oberfläche	Hersteller
Fangleinenschlösser	MRDI03.0 12.30	Inox	ø 3,0 mm	Edelstahl	Techtex
Rahmenring	DRI03.0 8.13	Inox	ø 3,0 mm	Edelstahl	Techtex
Fangleinen (Stamm)	TSL 220 / 190	Tecnora	ø 1,6mm/ 1,4mm	ummantelt	Liros
Fangleinen (1.Gabel)	8000U-130	Tecnora	ø 1,0mm	unummantelt	Edelrid
Fangleinen (2.Gabel)	8000U-190/ -130/ -090/ -050	Tecnora	ø 1,1mm/ 1,0mm/ 0,9mm/ 0,5mm	unummantelt	Edelrid
Tuch Obersegel	Skytex 38 / STA 15	Nylon	38 g/m ² - 31g/m ²	beschichtet	Porcher Sport / Techfiber Services, Inc Japan
Tuch Untersegel	STA 15	Nylon	31 g/m ²	beschichtet	Techfiber Services, Inc Japan
Tuch Profile	WT 2042	Nylon	32 g/m ²	beschichtet	Techtex
Gurtband	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profilverstärkung	Support rod	Nitinol / Nylon	ø 1,0 mm / 0,8mm, tubecover		Techtex
Bremsleinen	DFSL 200 / 8000U-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm/ 0,5mm	ummantelt / unummantelt	Liros / Edelrid

ARCUS 2 RS



**SWING Flugsportgeräte
GmbH**

An der Leiten 4
82290 Landsberied

Date: 07.12.2020

Parts list

Version: 1.1

Description	Article Code	Material	Dimensions	Surface	Manufacturer
quick links	MRDI03.0 12.30	Inox	ø 3,0 mm	Stainless steel	Techtex
D-ring	DRI03.0 8.13	Inox	ø 3,0 mm	Stainless steel	Techtex
Rigging line (Main)	TSL 220 / 190	Tecnora	ø 1,6mm/ 1,4mm	covered	Liros
Rigging line (intermediate)	8000U-130	Tecnora	ø 1,0mm	uncovered	Edelrid
Rigging line (top)	8000U-190/ -130/ -090/ -050	Tecnora	ø 1,1mm/ 1,0mm/ 0,9mm/ 0,5mm	uncovered	Edelrid
Fabric topsail	Skytex 38 / STA 15	Nylon	38 g/m ² - 31g/m ²	coated	Porcher Sport / Techfiber Services, Inc Japan
Fabric bottomsail	STA 15	Nylon	31 g/m ²	coated	Techfiber Services, Inc Japan
Fabric ribs	WT 2042	Nylon	32 g/m ²	coated	Techtex
Riser webbing	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profil support	Support rod	Nitinol / Nylon	ø 1,0 mm / 0,8mm, tubecover		Techtex
Brake line	DFSL 200 / 8000U-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm/ 0,5mm	covered / uncovered	Liros / Edelrid

ARCUS 2 RS

Stückliste

Datum: 07.12.2020

Version: 2.1



**SWING Flugsportgeräte
GmbH**
An der Leiten 4
82290 Landsberied

Bezeichnung	Bestell Nr.	Werkstoff	Abmessung	Oberfläche	Hersteller
Fangleinenschlösser	MRDI03.0 12.30	Inox	ø 3,0 mm	Edelstahl	Techtex
Rahmenring	DRI03.0 8.13	Inox	ø 3,0 mm	Edelstahl	Techtex
Fangleinen (Stamm)	7950-190 / TSL 220 / TSL 190	Dyneema / Tecnora	ø 1,6mm/ 1,5mm/ 1,4mm	ummantelt	Edelrid / Liros
Fangleinen (1.Gabel)	8000U-130	Tecnora	ø 1,0mm	unummantelt	Edelrid
Fangleinen (2.Gabel)	8000U-190/ -130/ -090/ -050	Tecnora	ø 1,1mm/ 1,0mm/ 0,9mm/ 0,5mm	unummantelt	Edelrid
Tuch Obersegel	Skytex 38 / STA 15	Nylon	38 g/m ² - 31g/m ²	beschichtet	Porcher Sport / Techfiber Services, Inc Japan
Tuch Untersegel	STA 15	Nylon	31 g/m ²	beschichtet	Techfiber Services, Inc Japan
Tuch Profile	WT 2042	Nylon	32 g/m ²	beschichtet	Techtex
Gurtband	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profilverstärkung	Support rod	Nitinol / Nylon	ø 1,0 mm / 0,8mm, tubecover		Techtex
Bremsleinen	DFSL 200 / 8000U-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm/ 0,5mm	ummantelt / unummantelt	Liros / Edelrid

ARCUS 2 RS

Parts list

Date: 07.12.2020

Version: 2.1



**SWING Flugsportgeräte
GmbH**

An der Leiten 4
82290 Landsberied

Description	Article Code	Material	Dimensions	Surface	Manufacturer
quick links	MRDI03.0 12.30	Inox	ø 3,0 mm	Stainless steel	Techtex
D-ring	DRI03.0 8.13	Inox	ø 3,0 mm	Stainless steel	Techtex
Rigging line (Main)	7950-190 / TSL 220 / TSL 190	Dyneema / Tecnora	ø 1,6mm/ 1,5mm/ 1,4mm	covered	Edelrid / Liros
Rigging line (intermediate)	8000U-130	Tecnora	ø 1,0mm	uncovered	Edelrid
Rigging line (top)	8000U-190/ -130/ -090/ -050	Tecnora	ø 1,1mm/ 1,0mm/ 0,9mm/ 0,5mm	uncovered	Edelrid
Fabric topsail	Skytex 38 / STA 15	Nylon	38 g/m ² - 31g/m ²	coated	Porcher Sport / Techfiber Services, Inc Japan
Fabric bottomsail	STA 15	Nylon	31 g/m ²	coated	Techfiber Services, Inc Japan
Fabric ribs	WT 2042	Nylon	32 g/m ²	coated	Techtex
Riser webbing	12mm BLK	Aramid / Polyester	12 mm / 2 mm		Cousin
Profil support	Support rod	Nitinol / Nylon	ø 1,0 mm / 0,8mm, tubecover		Techtex
Brake line	DFSL 200 / 8000U-090 / -050	Dyneema / Aramid	ø 2,0 / 0,9 mm/ 0,5mm	covered / uncovered	Liros / Edelrid